



Raising the standards of equipment rental worldwide

BRASIL

Australia

آفاق بلا حدود

AUSVEG

Dicky Bill

GREEN SCRES

Australia Fresh


Vegetables
Fruits
Nuts

Australia Fresh



Australia Fresh

Australia Fresh





Welcome!

Cross Rental Services - Refrigeration & Catering is Ireland & the UK's leading specialist fridge and commercial catering equipment rental company. We carry a huge range of Multi Decks, Serve Overs, Spot Merchandisers, Glass Door Cabinets, Chest freezers, Wall & Well Freezers, Island Displays, Patisserie Fridges, and also a full range of cooking and catering equipment and more available to hire.

We appreciate the unique pressures, constraints and demands that are part of exhibiting at events, whether it's at home or overseas. That's why we are proud to offer the most comprehensive events and exhibitions service around, with our passionate team dedicated to helping you reach your aims, make a big impression and – ultimately – achieve success.

With over 15 years in the events & exhibitions sector we have expanded our fridge rental service to the worlds largest Food & Drink trade shows, providing the highest quality refrigeration equipment to a wide range of International clients.

With the highest quality equipment available on today's rental market, you can be sure that your booth or stand will make a lasting impression on your visitors.

If you need fridge hire for an event or exhibition, we have a dedicated and passionate team that will support you every step of the way at both domestic and international shows.

The benefits of choosing the Cross Rental Services team for your rental equipment are unrivalled.

We will ensure all of our valued clients receive:

- The highest quality of Refrigeration & Catering equipment available in the event rental market today
- A project manager assigned to each event to coordinate
- Installation, delivery and collection at a time that suits you
- Full assistance provided to your stand builder ensuring that they have all the dimensions and information needed for our equipment
- Team of staff, including on-site engineers, for the build and show duration to assist exhibitors with any queries
- Daily temperature checks
- Marketing support from our experienced team
- Full customisation and branding services available

To learn more about us, see our full product range and to get a quote please visit our website: crossrentalservices.com or email us directly at events@crossrentalservices.com

Contents

CHILLED DISPLAY / STORAGE - 02/14

Multi Decks / Island Chillers / Serve Over Counters /
Promo Spot Merchandisers / Cake Chillers /
Back Bars / Mini Bars



FROZEN DISPLAY / STORAGE - 15/22

Ice Cream Cases / Undercounter Door / Glass Door Freezers /
Upright Display / Combi Freezer / Chest Freezer / Prep Counter/
Blast Chiller



COLD ROOM / COLD STORAGE - 23/24

Walk-in Chiller / Freezer Rooms



COOKING & KITCHEN EQUIPMENT - 25/34

Convection Ovens / Combi Ovens / High Speed Ovens / Pizza Ovens /
Bread Oven / Fryers / Griddles / Grills / Microwave / Induction Hobs /
Salamander / Prep Tables / Heated MultiDeck / Bain Maris /
Gantry Lights / Extractor Fans



WASHWARE EQUIPMENT - 35/37

Commercial Dishwashers / Mobile Hand Wash /
Sinks



HOT BEVERAGE EQUIPMENT - 38/49

Coffee Machines / Water Boilers



HVAC - 40/46

Heaters / Air Conditioners / Air Purifiers / Fans



GENIUS

The Genius Half Height Multideck case with fan assisted refrigeration is perfect for the display of packaged fresh products. Its compact size and tiltable shelves maximize product exposure. From meats to cheese, dairy items, drinks and more – there's plenty of potential when it comes to this unit.

Full Branding Available.



HALF HEIGHT MULTIDECK

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
GHHMD	1460mm	640mm	720mm	+1 °C/+5 °C	Single Phase / 1N~	620W

OPERA SV

The Opera SV is the ideal cabinet to display products at eye level, where height and width space is limited. Use two or more, back-to-back to create an impressive island, walkaround display.

Full Branding Available.



HALF HEIGHT MULTIDECK PLUG IN DISPLAY FRIDGE

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
HHMD-70	1460mm	760mm	705mm	+1 °C/+5 °C	Single Phase / 1N~	1129W
HHMD-100	1460mm	997mm	705mm	+1 °C/+5 °C	Single Phase / 1N~	1199W
HHMD-130	1460mm	1310mm	705mm	+1 °C/+5 °C	Single Phase / 1N~	1419W

VENERE

A full-height, slimline unit that's perfect if your space is limited. The Venere Multideck can be used to showcase a wide range of products – deli meats, cheeses, fruits, vegetables, cold drinks and more...

Optional Extras

- > Full Branding Available
- > Hooks and Bars
- > Night Blind



FULL HEIGHT MULTIDECK PLUG IN DISPLAY FRIDGE

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
SMD-70	1850mm	702mm	700mm	+1 °C/+5 °C	Single Phase / 1N~	600W

OPERA

The Opera Multideck is a close relative of the Overture, but with a slimmer design, making it a great solution for built-in displays. Available with glass or solid end walls as well as a variety of internal display solutions.

Optional Extras

- > Full Branding Available
- > Hooks and Bars
- > Night Blind
- > Ticket Strip
- > Shelf Pusher



SLIMLINE FULL HEIGHT DISPLAY FRIDGE

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
MDS-100	2000mm	997mm	705mm	+1 °C/+5 °C	Single Phase / 1N~	1129W
MDS-130	2000mm	1310mm	705mm	+1 °C/+5 °C	Single Phase / 1N~	1419W
MDS-190	2000mm	1935mm	705mm	+1 °C/+5 °C	Single Phase / 1N~	1883W

OUVERTURE

With deeper shelves than a standard multideck, the Overture Multideck has the ability to display a large volume of fresh or pre-packed meats, beverages, dairy and many more items. Full branding and a variety of internal display variations makes this cabinet one of our most popular and versatile event cabinets.

Optional Extras

- > Full Branding Available
- > Hooks and Bars
- > Night Blind
- > Ticket Strip
- > Shelf Pusher



FULL HEIGHT MULTIDECK PLUG IN DISPLAY FRIDGE

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
MD-130	2000mm	1310mm	845mm	+1 °C/+5 °C	Single Phase / 1N~	13A / 1419W
MD-190	2000mm	1935mm	845mm	+1 °C/+5 °C	Single Phase / 1N~	13A / 1883W
MD-250	2000mm	2560mm	845mm	+1 °C/+5 °C	Single Phase / 1N~	16A / 2824W

GALAXY FULL GLASS DOOR

A premium multideck with full-height glass doors and adjustable shelving, the sleek and modern design of this energy-efficient cabinet, Galaxy FGD Multi Deck, delivers exceptional high-visibility chilled display for beverages, dairy, pre-packed foods, flowers and more. Adjustable shelving, bright internal lighting and full branding options make it easy to showcase products clearly and at scale.

Optional Extras

- > Full Branding Available
- > Ticket Strip
- > Shelf Risers
- > Hooks and Bars



FULL GLASS DOOR MULTIDECK DISPLAY FRIDGE

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
FGD-G14	1995mm	1344mm	745mm	+1 °C/+5 °C	Single Phase / 1N~	13A / 276W
FGD-G20	1995mm	1958mm	745mm	+1 °C/+5 °C	Single Phase / 1N~	13A / 340W
FGD-G26	1995mm	2584mm	745mm	+1 °C/+5 °C	Single Phase / 1N~	13A / 581W

KRISTINA CURVED GLASS SERVE OVER

The Kristina Curved Glass Serve Over is by far our most popular case for exhibition customers. Its versatility makes it suitable for all chilled products and comes with additional chilled storage underneath.

Full branding and a wide range of display inserts available.

Optional Extras

- Full Branding Available
- Grass Matting
- Sliding Perspex Doors
- Step Insert



CURVED GLASS SERVE OVER DISPLAY CHILLER

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
KSO-130	1260mm	1285mm	960mm	+1 °C/+5 °C	Single Phase / 1N~	447W
KSO-160	1260mm	1585mm	960mm	+1 °C/+5 °C	Single Phase / 1N~	557W
KSO-190	1260mm	1885mm	960mm	+1 °C/+5 °C	Single Phase / 1N~	592W
KSO-260	1260mm	2585mm	960mm	+1 °C/+5 °C	Single Phase / 1N~	667W

CORNER SERVE OVER

The Corner Serve Over counter is a stylish, multi-tasking serve over chiller that you can use to display a broad range of chilled food. With its attractive design, this is an ideal rental option.



SQUARE GLASS CORNER SERVE OVER DISPLAY CHILLER

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
CSO-180	1250mm	1800mm	1368mm	+1 °C/+7 °C	Single Phase / 1N~	358W

VENUS FLAT GLASS SERVEOVER

Its versatility makes it suitable for all chilled products and comes with additional chilled storage underneath.

Full branding available.

Optional Extras

- > Full Branding Available
- > Grass Matting
- > Sliding Perspex Doors
- > Step Insert



FLAT GLASS SERVE OVER DISPLAY CHILLER

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
V26-125	1290mm	1250mm	1065mm	-1 °C/+7 °C	Single Phase / 1N~	610W
V26-190	1290mm	1875mm	1065mm	-1 °C/+7 °C	Single Phase / 1N~	850W
V26-250	1290mm	2500mm	1065mm	-1 °C/+7 °C	Single Phase / 1N~	1160W

GALILEO SPOT MERCHANDISER

The Galileo Spot Merchandiser is your best choice for a "grab & go" island display. With a height adjustable deck, which can also be tilted, the display options for this unit are limitless.

Full Branding Available.



SPOT MERCHANDISER PROMO DISPLAY WITH GLASS SHELVES

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
SM-100	885mm	1000mm	1200mm	+1 °C/+4 °C	Single Phase / 1N~	850W
SM-130	885mm	1250mm	1200mm	+1 °C/+4 °C	Single Phase / 1N~	850W

JUPITER STRAIGHT SPIDER

The Jupiter Straight Spider is an open-top spider fridge with straight glass sides, offering clear visibility and a flat display base. Well suited to larger or heavier chilled products where flexible loading is needed.

Full Branding Available.



JUPITER STRAIGHT PROMO DISPLAY						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
JSS-125	956mm	1280mm	mm	+1 °C/+5 °C	Single Phase / 1N~	738W

ALPHA SPOT MERCHANDISER

The Alpha Spot Merchandiser promo display is the perfect solution to entice your clients to your booth with its visual appeal. Tiered shelving for maximising brand exposure. Suitable for all chilled products.

Full Branding Available.



SPOT MERCHANDISER PROMO DISPLAY						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
SMSV-130	1305mm	1280mm	1305mm	+1 °C/+5 °C	Single Phase / 1N~	1200W

JUPITER TIERED SPIDER

The Jupiter Tiered Spider promo display maximises product exposure with multiple tiered shelving. Plug-in and easy to move, it's a stylish, flexible choice for showcasing beverages, snacks and seasonal lines in a compact space.

Full Branding Available.



JUPITER TIERED PROMO DISPLAY						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
JTS-100	1266mm	938mm	1210mm	-1 °C / +7 °C	Single Phase / 1N~	683W
JTS-125	1266mm	1250mm	1210mm	-1 °C / +7 °C	Single Phase / 1N~	683W

CUBE CAKE DISPLAYS

The Cube Cake Displays provide an elegant showcase for desserts, sandwiches and sweet goods. 360° glass sides provides maximum visibility of your products.



CUBE GLASS CAKE DISPLAY CHILLER						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
PAS-60Cube	1324mm	585mm	725mm	+4 °C/+8 °C	Single Phase / 1N~	510W
PAS-100Cube	1324mm	985mm	725mm	+4 °C/+8 °C	Single Phase / 1N~	569W
PAS-150Cube	1324mm	1324mm	725mm	+4 °C/+8 °C	Single Phase / 1N~	711W

DOME ISLAND DISPLAY

The Dome Island Display is a stunning, sleek solution for any exhibitor looking for the Wow Factor. With LED lights, additional raised centre shelf and a clear dome lid, operated by remote control, this unit is sure to help take your brand into the future.

Full Branding Available.



DOME ISLAND DISPLAY						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
DIC-110	1670mm	1350mm	1110mm	+2 °C/+10 °C	Single Phase / 1N~	800W
DIC-150	2010mm	1520mm	1470mm	+2 °C/+10 °C	Single Phase / 1N~	900W

DUAL TEMP ISLAND CHILLER

The Dual Temp Island Chiller works well either against a wall or as the centrepiece of your display. Its open top design makes it easy for people to get in touch with your product.

Full branding and variety of display inserts available.



DUAL TEMP ISLAND CHILLER						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
DTIC-150	910mm	1500mm	1000mm	-23 °C/+4 °C	Single Phase / 1N~	880W

IMPULSE DUAL TEMP DISPLAY CHILLER

The open-top impulse chiller/freezer display fridge allows quick and easy access to your product, and double glazed glass sides increase visibility of stock. On lockable castors, it works well either against a wall or as the centrepiece of your display. The cabinet can be switched between chiller or freezer giving a more versatile display to promote a wide variety of chilled or frozen goods.

Full branding available.



IMPULSE DUAL TEMP DISPLAY CHILLER

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
IDTC120	962mm	1255mm	1015mm	-2 to +5°C / -24 to -18 °C	Single Phase / 1N~	661W

UPRIGHT GLASS DOOR

The Upright Glass Door chillers are available in both single and double door and are suitable for food or beverage items. Fully adjustable shelving and internal lighting as standard. Key also supplied upon request.

Full Branding Available.



UPRIGHT GLASS DOOR CHILLER

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
GUC1	1840mm	595mm	640mm	+1 °C/+10 °C	Single Phase / 1N~	350W
GUC2	2020mm	1000mm	720mm	+1 °C/+10 °C	Single Phase / 1N~	750W

UPRIGHT WINE COOLER

If you need to store a large number of bottles at one single temperature, our upright wine cooler is an outstanding rental solution. With adjusting shelves that can easily hold up to 78 wine bottles, there's no shortage of capacity.

Provides protection for the wine. We can also provide a key for the door lock if you wish to secure the cooler.



UPRIGHT GLASS DOOR WINE CHILLER

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
GUC-1W	1840mm	595mm	640mm	+1 °C/+10 °C	Single Phase / 1N~	350W

GASTRONORM CHILLER

The high capacity Gastronorm Chiller comes with modern LED strip lighting and can be used for anything from hook hanging meat displays to drinks displays. Its additional storage capacity allows you to display more and refill less.

Wide range of display inserts and full branding available.



GASTRONORM CHILLER

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
GUC1F	2080mm	700mm	820mm	+1 °C/+4 °C	Single Phase / 1N~	389W

UPRIGHT SOLID DOOR CATERING CABINET

These Upright Solid Door Catering Cabinets come with fully adjustable shelving that are designed to fit all Gastronorm trays. Available in single or double door as well as freezer or chiller option.



UPRIGHT CATERING CABINET						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
SUC1	2010mm	740mm	850mm	+2 °C/+8 °C	Single Phase / 1N~	350W
SUC2	2010mm	1480mm	850mm	+2 °C/+8 °C	Single Phase / 1N~	650W

4 SIDED GLASS UPRIGHT DISPLAY CHILLER

The 4 sided glass upright display chiller comes with static wire shelves and LED lighting as standard. Easily switch from Chiller to Freezer, this unit will never disappoint.

Dual chiller/freezer.



4 SIDED GLASS UPRIGHT DISPLAY FREEZER						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
SSDF	1810mm	595mm	615mm	+5 °C/-18 °C	Single Phase / 1N~	700W

DRY AGE MEAT DISPLAY

The Dry Age Meat Display is designed specifically for the exhibition and preservation of meat. The static refrigerators operate with a variable temperature from +1 °C to +6 °C. A variety of hooks and bars are supplied to provide many different styles of meat display. All 4 sides are made from glass, allowing full visibility from all angles.



DRY AGE MEAT CABINET						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
DA1	2005mm	795mm	730mm	+1 °C/+6 °C	Single Phase / 1N~	700W
DA2	2005mm	1542mm	730mm	+1 °C/+6 °C	Single Phase / 1N~	950W
DA2-XL	2130mm	1650mm	900mm	+1 °C/+6 °C	Single Phase / 1N~	3000W

BACK BAR CHILLER

Our Glass Back Bar Chillers are available in one, two or three-door models. With height adjustable shelving for storing beer, soft drinks or mixers and options for wine shelves, these units won't disappoint.

A lock comes fitted as standard to keep the contents secure.

Key Features:

- > Full branding available
- > Interior light for enhanced presentation
- > Adjustable legs



BACK BAR CHILLER						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
BBC1	900mm	600mm	640mm	+2 °C/+12 °C	Single Phase / 1N~	200W
BBC2	900mm	900mm	640mm	+2 °C/+12 °C	Single Phase / 1N~	230W
BBC3	900mm	1350mm	640mm	+2 °C/+12 °C	Single Phase / 1N~	290W

UNDER COUNTER CHILLER

The Under Counter Single Door Chiller present a compelling option for either retail or event use. Thanks to their compact size, these units provide ample capacity for your products – You can rent your undercounter chiller with either a solid door or a glass door; ideal for a variety of uses.



UNDER COUNTER COOLER						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
UGC1	850mm	595mm	640mm	+2 °C/+10 °C	Single Phase / 1N~	220W
USC1	850mm	595mm	640mm	+2 °C/+10 °C	Single Phase / 1N~	220W

CAN COOLER

The Can Cooler is a great promotional chiller that can be branded to create maximum impact. Can be charged overnight to display without need for a socket.

Full Branding Available.



CAN COOLER						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	STORAGE VOLUME
CAN	950mm	541mm	541mm	+1 °C/+ 10 °C	Single Phase / 1N~	65L

GASTRONORM CHILLER / COUNTER

For a solid and robust food preparation solution, a gastronorm counter is the must-have item. The stainless steel design of these products ensures a long lifespan; ideal for your fast-paced foodservice environment. It is a versatile and highly-capable option.

Fresh meat, ice cream or dairy; nothing is too much trouble for this superb product. The two-door option hold 282 litres, while the three-door model comes with a 417-litre capacity.



GASTRONORM CHILLER / COUNTER						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
PPC2	950mm	1360mm	700mm	-2 °C/+10°C	Single Phase / 1N~	450W
PPC3	950mm	1795mm	700mm	-2 °C/+10°C	Single Phase / 1N~	450W

COUNTER TOP FREEZER

The Under Counter Glass Door Freezer is an excellent choice for the display of ice cream tubs or any other frozen food items. Available in either white or stainless steel.

Full Branding Available.



COUNTER TOP FREEZER						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
UF50	520mm	570mm	530mm	-12 °C/-24 °C	Single Phase / 1N~	200W
UF100	670mm	610mm	540mm	-12 °C/-24 °C	Single Phase / 1N~	200W

UNDER COUNTER SOLID DOOR FREEZER

The Under Counter Solid Door Freezer with lockable door and adjustable temperature as standard. Glass door option an excellent choice for the display of ice cream tubs or any other frozen food items.



DOMESTIC CHEST FREEZER

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
UCSF-1	850mm	595mm	640mm	-18 °C/-24 °C	Single Phase / 1N~	220W
UCGF-1	850mm	595mm	640mm	-18 °C/-24 °C	Single Phase / 1N~	220W

FULL HEIGHT GLASS DOOR FREEZER

Our Full Height Glass Door Freezers are available in either single or double door options. Lockable doors, fixed shelving and internal light supplied as standard.

Full Branding Available.



FULL HEIGHT FREEZER

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
GUF-1	1840mm	595mm	640mm	-18 °C/-22 °C	Single Phase / 1N~	570W
GUF-2	2055mm	1382mm	800mm	-18 °C/-25 °C	Single Phase / 1N~	1200W

LOW ENERGY DISPLAY FREEZER

A glass-door upright Low Energy Display Freezer for clear product visibility with reduced energy consumption. Featuring triple-glazed self-closing doors, LED lighting and adjustable shelving, it's well suited to ice cream, frozen desserts and packaged frozen products where efficiency and presentation matter.

Full Branding Available.



LOW ENERGY DISPLAY FREEZER						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
LEF1	2003mm	1253mm	760mm	-18 °C /-22 °C	Single Phase / 1N~	460W
LEF2	2003mm	1880mm	710mm	-18 °C /-22 °C	Single Phase / 1N~	700W

VALZER GLASS DOOR FREEZER

The Valzer Glass Door Freezer is an upright freezer designed for clear visibility and reliable frozen storage, while maintaining consistent low temperatures. Adjustable shelving, ventilated cooling and internal LED lighting, make this a great freezer to showcase different pack sizes and frozen product ranges.

Full Branding Available.



VALZER GLASS DOOR FREEZER						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
VAL3	2040mm	2015mm	815mm	-18 °C /+70 °C	Single Phase / 1N~	13A / 1430W

4 SIDED GLASS UPRIGHT DISPLAY FREEZER

The 4 sided glass upright display freezer comes with static wire shelves and LED lighting as standard. Available in either bronze or silver, this unit will never disappoint.

Matching chiller also available.



4 SIDED GLASS UPRIGHT DISPLAY FREEZER

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
SSDF	1810mm	595mm	615mm	+5 °C/-20 °C	Single Phase / 1N~	700W

GASTRONORM PREP COUNTER FREEZER

The Gastronorm prep counters are a solid, robust unit made from stainless steel. Available as a freezer or chiller, this is a must have item for any fast paced kitchen environment.



GASTRONORM PREP COUNTER FREEZER

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
PCF2	950mm	1360mm	700mm	-18 °C/-24 °C	Single Phase / 1N~	700W
PCF3	950mm	1795mm	700mm	-18 °C/-24 °C	Single Phase / 1N~	700W

UPRIGHT SOLID DOOR CATERING FREEZER

These Upright Solid Door Catering Cabinets come with fully adjustable shelving that are designed to fit all Gastronorm trays. Available in single or double door as well as freezer or chiller option.



UPRIGHT CATERING CABINET						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
SUF1	2010mm	740mm	850mm	-18 °C/-24 °C	Single Phase / 1N~	1000W
SUF2	2010mm	1480mm	850mm	-18 °C/-24 °C	Single Phase / 1N~	1200W

BLAST CHILLER

Quickly chill or freeze large quantities of hot food while preserving the taste, quality and appearance of your food. 5 pre-set programs making them easy to use.

The cabinets accept three shelves, 1/1 Gastronorm or 60 x 40 Euronorm pans (depending on model). Pans and shelves, however, are not supplied.



BLAST CHILLER						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
BLC3	925mm	800mm	815mm	-18 °C /+70 °C	Single Phase / 1N~	770W
BLC5	995mm	800mm	815mm	-18 °C /+70 °C	Single Phase / 1N~	800W
BLC10	1298mm	800mm	815mm	-18 °C /+70 °C	Single Phase / 1N~	1298W

NIC100 CURVED GLASS LID FREEZER

Where space is at a premium the NIC100 Sliding Curved Glass Lid Chest Freezer is ideal. With a tiny footprint it is great for ice cream and lollies as well as frozen food.

Curved sliding lower lid set into a moulded trim to give a great display. The unit comes with 2 baskets and castors (2 lockable) for easy movement.

Full Branding Available.



NIC100 SLIDING CURVED GLASS LID CHEST FREEZER

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
NIC100	910mm	635mm	635mm	-24 °C / -14 °C	Single Phase / 1N~	105W

ICE CREAM CASES

Our range of Ice Cream cases are designed to fit standard 5-litre Napoli soft scoop pans with additional storage underneath. Canopy lighting also gives additional attention to your product.

Full Branding Available.



ICE CREAM CASE

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
SCOOP-4	1243mm	720mm	630mm	-14 °C/-24 °C	Single Phase / 1N~	218W
SCOOP-7	1224mm	1341mm	723mm	-15 °C/-20 °C	Single Phase / 1N~	740W

IMPULSE DUAL TEMP DISPLAY FREEZER

The open-top impulse chiller/freezer display fridge allows quick and easy access to your product, and double glazed glass sides increase visibility of stock. On lockable castors, it works well either against a wall or as the centrepiece of your display. The cabinet can be switched between chiller or freezer giving a more versatile display to promote a wide variety of chilled or frozen goods.

Full branding available.



IMPULSE DUAL TEMP DISPLAY FREEZER						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
IDTF120	962mm	1255mm	1015mm	-2 to +5 °C / -24 to -18 °C	Single Phase / 1N~	661W

DUAL TEMPERATURE ISLAND

One of our most flexible rental options, the Dual Temperature Island operates both as a chiller or as a freezer! The open top design makes it easy for people to get in touch with your product.

Full Branding Available.



DUAL TEMPERATURE ISLAND						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
DTIF-150	910mm	1500mm	1000mm	-23 °C / +4 °C	Single Phase / 1N~	1250W

CHEST FREEZER

Ideal for events, this versatile chest freezer offers stylish display, with curved glass sliding doors, and reliable freezing performance, available in three sizes to suit your needs. Lockable castors ensure easy mobility for flexible setup.

Full Branding Available.



CHEST FREEZER						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
IC200	800mm	570mm	570mm	-14 °C/-24 °C	Single Phase / 1N~	218W
IC400	949mm	1300mm	615mm	-14 °C/-24 °C	Single Phase / 1N~	330W
IC500	949mm	1550mm	615mm	-14 °C/-24 °C	Single Phase / 1N~	335W

AHT MANHATTAN CHEST FREEZER

With a small footprint and deeply curved, coated glass, the Manhattan freezer is excellent for visually displaying your goods. Products can be easily accessed from either end with the the sliding cover system. With internal LED lighting this freezer offers outstanding display opportunities to attract customers

Full Branding Available.



AHT MANHATTAN 2.2 CHEST FREEZER						
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~	POWER CONSUMPTION
CF220	2103mm	804mm	995mm	-18 °C/-23 °C	Single Phase / 1N~	450W

COLD ROOMS

Walk in Cold Rooms provide an extremely versatile and cost effective solution to cold and frozen storage requirements. Constructed using high quality, durable modular panels and high specification motors. Standard sizes available, but other combinations available for hire on request.

Contact us today to learn more.



10FT CONTAINER

Compact refrigerated container with up to 4 pallet capacity. Ideal for events where space is limited but additional reliable chilled and frozen storage is needed. Maintains precise chilled or frozen temperatures with weatherproof construction and excellent operational efficiency. Perfect for holding stock close to your stand or catering area.

Full Branding Available.



10FT COLD ROOM/CONTAINER					
ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~
CS10	2590mm	2438mm	2991mm	-35°C / +35°C	Single Phase / 1N~

20FT CONTAINER

A versatile mid-size cold room, 9 pallet capacity, offering increased storage capacity for food, drink or temperature-sensitive products at events. Suitable for higher volumes where easy access is essential. Efficient cooling with consistent temperature control for chilled or frozen stock.

Full Branding Available.



20FT COLD ROOM/CONTAINER

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~
CS20	2,103mm	804mm	6,058mm	-35°C / +35°C	400V/ 3N~/ 5-pin CEE

40FT CONTAINER

Large volume cold room/container with up to 19 pallet capacity for significant chilled or frozen storage needs. Well suited to major food, beverage or retail events or expos where bulk storage and dependable temperature control are critical. Lockable and designed for stand-alone or supplementary cold store use on site.

Full Branding Available.



40FT COLD ROOM/CONTAINER

ITEM CODE	HEIGHT	WIDTH	DEPTH	TEMP RANGE	1N~ / 3N~
CS40	2,103mm	804mm	12,192mm	-40°C / +30°C	400V/ 3N~/ 5-pin CEE

ATOLLSPEED CONVECTION OVENS

Key Features

- High speed cooking - Up to 10 times faster than a conventional oven.
- Helps to drastically reduce customer waiting times.
- Extremely fast pre-heating time at the start of the day (only 10 minutes).
- Pre-installed baking programs for all types of hot food.
- USB port for simple program transfer between ovens.
- Simple, elegant, user-friendly touch screen operation.
- Guaranteed and consistent cooking results. Never undercook or burn food again.
- Energy efficient with low power consumption.
- Excellent insulation - highest power efficiency.
- Hygienic baking chamber - fast and easy to clean.
- 16 amp supply - Power 220/230V -50 Hz (D-Rated breaker required)



ATOLLSPEED HIGH SPEED CONVECTION OVENS

MODEL	 WxDxH		POWER	1N~ / 3N~
AS300T	570 x 700 x 435 mm	16 AMP / 3.5 kW	Various Available	3 Phase / 3N~

BLUE SEAL CONVECTION OVEN

Key Features

- 4 Gastronorm GN 1/1 pan capacity
- 80mm tray spacing
- Compact 616mm depth x 810mm width
- 13A plug-in cordset fitted
- Digital display Time and Temperature controls
- Large easy view 20mm high displays
- Electronic thermostat control
- Electronic timer with countdown or time count modes
- Programmable for up to 20 programs
- Grill mode
- Single direction low-velocity fan
- 2.8kW heating in bake mode / 2kW grill elements
- Safe-Touch vented side hinged door (standard LH hinge)
- Stay-Cool door handle
- Vitreous enamel oven chamber
- Plug-in continuous oven door seal
- Halogen oven lamp
- Anti-skid 50mm dia. 76mm high adjustable stainless steel feet
- 4 oven wire racks supplied
- 100% recyclable packaging
- Turbofan SK2731N Oven Stand (Optional)



COMBINATION OVEN & CONVECTION OVEN 5 X 600/400

MODEL	 WxDxH		GN PANS	1N~ / 3N~
BLUESEAL	810 x 616 x 625 mm	13 AMP / 3.1 kW	4 x GN 1/1	Single Phase / 1N~

NOTE: Models & Power May Vary.



COMBI OVEN

Key Features

- > 6 Gastronorm GN 1/1 pan capacity
- > 65mm tray spacing
- > Vision Touch control panel
- > Active Cleaning automatic cleaning system
- > Digital control display
- > Hot air: 30°C / 300°C
- > Combination: 30°C / 300°C
- > Steaming: 30°C / 300°C
- > 7 speed fan
- > Hygienic cooking chamber
- > Bi-directional fan
- > Curved door glass
- > Regeneration
- > Banquet system
- > LAN internet communication channel
- > Automatic pre-heating/cooling
- > Automatic start
- > Double glass doors preventing heat escape
- > Removable door seal
- > Two-position door catch (safety position)
- > USB plug in
- > Flap valve
- > 99 cooking programs
- > Care cooking probe



COMBINATION OVEN & CONVECTION OVEN

MODEL	GN PANS	 WxDxH		1N~ / 3N~
COMBI6	6 x GN 1/1	933 x 821 x 786 mm	32 AMP / 10.9 kW	3 Phase / 3N~
COMBI10	10 x GN 1/1	933 x 821 x 1046 mm	32 AMP / 18.6 kW	3 Phase / 3N~

6 RING ELECTRIC OVEN

Key Features

- > Fully pressed and sealed hob
- > Twin fan-assisted oven for even heat and fast, consistent cooking results
- > Temperature Range 50°C to 250°C
- > 3 hobs at 1.5 kW / 3 hobs at 2.0 kW
- > Internal dimensions: 670 x 670 x 340 mm
- > Shelf size dimensions: 670 x 340 mm
- > 6 power levels for per cooking plate
- > 4 shelf positions with 2 removable chrome plated shelves included
- > Double insulated side opening doors
- > Vitreous enamel oven chamber
- > Removable oven base for easy cleaning
- > Legs at front, castors at rear for easy positioning



6 RING OVEN

MODEL	 WxDxH	CAPACITY		POWER	HOT PLATES	1N~ / 3N~
OVEN6	900 x 670 x 932 mm	93Ltr	16.5 AMP / 6 kW [3-Phase]	Various Available	6	Single Phase / 1N~ 3 Phase / 3N~




NOTE: Models & Power May Vary.

PIZZA OVENS

Key Features

- Pratica high-speed pizza oven
- Wired 3-phase standard; configurable single-phase on site
- Single Oven hi-speed with max temperature 330°C
- Twin Deck max temperature 500°C with safety thermostat
- Thick fibre glass insulation
- Easy to use manual controls
- Single deck or double stacked
- Panoramic viewing window with interior lighting
- Pizzas cook in 3-6 minutes
- Brick bases for authentic taste
- Two independent thermostats controlling temperature above and below pizza - result perfectly cooked pizza





MASTRO PIZZA OVENS POWERED BY CUPPONE								
MODEL	DESCRIPTION	CAPACITY	 WxDxH INTERNAL	 WxDxH EXTERNAL		POWER	1N~/ 3N~	
PIZZA1	SINGLE DECK	1 x 40 cm (16") PIZZAS	460 x 435 x 96 mm	705 x 788 x 340 mm	6.6 kW	Various Available	Single Phase / 1N~ 3 Phase / 3N~	
PIZZA2	DOUBLE DECK	8 x 30.5 cm (12") PIZZAS	660 x 660 x 140 mm PER DECK	980 x 815 x 745 mm	9.4 kW	Various Available	Single Phase / 1N~ 3 Phase / 3N~	

MICROWAVE

Key Microwave Features

- Grill function, power 800W
- Interior capacity: 20 ltr
- 5 power levels
- 99min timer
- 245mm diameter turntable
- Electronic controls
- Interior light
- Stainless Steel finish



DOMESTIC MICROWAVE OVEN						
MODEL	 WxDxH		VOLTAGE	POWER LEVELS	1N~/ 3N~	
DOM-MICRO	462 x 320 x 290 mm	12.2 AMP / 1.28 kW	230V / 50 Hz	5	Single Phase / 1N~	



NOTE: Models & Power May Vary.

MICROWAVE OVEN

Key Features

- > High power output 1.85 kW
- > Moulded 13 amp UK plug fitted
- > Dimensions - cooking area 370 x 370 mm
- > Dual Magnetron cooks food faster and more evenly
- > Quickly defrosts, reheats and cooks a wide variety of foods
- > Program facility allows you to save & cook popular foods by memory
- > Heavy duty stainless steel interior and exterior
- > Large cavity suitable for non-metallic 2/3rd size GN pans
- > Stackable commercial microwave





MICROWAVE OVEN						
MODEL	 WxDxH		VOLTAGE	POWER LEVEL	CAPACITY	1N~ / 3N~
IND-MICRO	464 x 577 x 368 mm	13 AMP/3.25 kW	230/240V / 50 Hz	5	26 L	Single Phase / 1N~

GRIDDLE

Key Features

- > Stainless steel exterior
- > Heavy duty, robust design
- > Hard chrome cooking bed
- > Removable oil drip tray
- > Power and heat indication lights
- > 3KW high power output
- > Easy wipe-clean body
- > Temperature range up to 300°C



ELECTRIC HOTPLATE GRIDDLE				
MODEL	 WxDxH		POWER	1N~ / 3N~
GRID-50	500 x 470 x 225 mm	13 AMP / 3 KW	Various Available	Single Phase / 1N~
GRID-75	750 x 480 x 230 mm	2 x 13 AMP / 5 KW	Various Available	Single Phase / 1N~

NOTE: Models & Power May Vary.


GRIDDLE ON STAND

Key Features

- Stainless steel construction
- Heavy duty, robust design
- Our GRID-75 griddle on stand
- Adjustable legs provide stability on uneven floors
- Useful shelf for storage
- Fully welded joints on stand
- Griddle has 3KW high power output
- Easy wipe-clean body
- Temperature range up to 300°C



GRIDDLE ON STAND

MODEL	STAND  WxDxH	GRIDDLE  WxDxH		POWER	1N~ / 3N~
GRID-75S	900 x 567 x 650 - 675 mm	750 x 480 x 230 mm	2 x 13 AMP / 5 KW	Various Available	Single Phase / 1N~



PANINI GRILL

Key Features

- High power output 2.25 kW
- Moulded 13 amp UK plug fitted
- Dimensions - cooking area 264 x 250 mm
- Power Type Electric
- Temperature Range 100°C to 300°C
- Voltage 230V
- Heavy duty cast iron grill plates
- Counter balanced top plate for fuss-free cooking
- Responsive front-mounted manual control



PANINI GRILL

MODEL	 WxDxH		VOLTAGE	TEMP RANGE	1N~ / 3N~
PAN-G	293 x 400 x 182 mm	13 AMP / 2.25 kW	230V / 50 Hz	100°C to 300°C	Single Phase / 1N~







NOTE: Models & Power May Vary.

FRYER

Key Features

- High power output 3KW
- Moulded 13amp UK plug fitted
- Fill Capacity: 5 - 6 ltr (Single) / 2 x 9 ltr (Double)
- Variable temperature control: 0-200° C
- Thermostatically controlled, energy efficient
- Easy accessible limit thermostat
- Removable heating head units for easy cleaning
- ½" valve
- Stainless steel lids: 1 (Single) / 2 (Double)
- Folding and removable basket handles
- Heavy duty, long-life baskets
- CE approved








FRYER						
MODEL	DESCRIPTION	 WxDxH		POWER	TANK CAPACITY	1N~ / 3N~
FRY1-10	Single Tabletop	290 x 440 x 320 mm		13 AMP / 1 x 3 kW	10 ltr	Single Phase / 1N~
FRY2-13	Double Tabletop	565 x 440 x 275 mm		13 AMP / 2 x 3 kW	13 ltr	Single Phase / 1N~
FRY-09	Single Full Height	300 x 632 x 980 mm		39 AMP / 9 kW	9 ltr	Single Phase / 1N~
FRY-09	Twin Full Height	600 x 632 x 980 mm		2 x 26 AMP / 2 x 6 kW	2 x 9 ltr	3 Phase / 3N~

INDUCTION HOBS

Key Features

- Easy to clean
- Durable
- Ceramic top
- Easy to use controls
- User Friendly Features
- Note: Can only be used with induction compatible pans



INDUCTION COOKING HOBS				
MODEL	 WxDxH		VOLTAGE	1N~ / 3N~
HOB1	330 x 430 x 100 mm		230V	Single Phase / 1N~
HOB2	295 x 370 x 45 mm		230V	Single Phase / 1N~
HOB4	574 x 504 x 48 mm		220-240V	Single Phase / 1N~

NOTE: Models & Power May Vary.

STAINLESS STEEL PREP TABLES

Key Features

- Easy-clean stainless steel finish
- Galvanised steel legs
- Galvanised steel undershelf



STAINLESS STEEL PREPARATION TABLES	
MODEL	WxDxH
SSPT-150	1200 x 600 x 850 mm
SSPT-200	1800 x 600 x 850 mm

HEATED MULTIDECK

Key Features

- Product temperature maintained at 65-70°C
- Save holding temperature for up to 4 hours
- Ideal for chicken, wraps, snacks, soups etc.
- Self-serve heated Multi Deck display unit
- Boosts impulse sale with merchandising opportunities
- Innovative airflow technology: no hot or cold spots
- Angled shelves, safe to touch
- Clear side glass and angled shelves for optimal product visibility
- Plug-and-play
- Shatter-resistant glass for optimum safety and insulation



Full Branding Available.

HEATED MULTIDECK							
MODEL	DESCRIPTION	WxDxH		VOLTAGE	CAPACITY	1N~ / 3N~	
HHHMD60	3 Level Multideck	600 x 800 x 1420 mm	16 AMP / 2.4 kW	230V / 50 Hz	2 shelves + base / 0.8 m ²	Single Phase / 1N~	
HHHMD100	Wide 3 Level Multideck	1000 x 800 x 1420 mm	16 AMP / 3.5 kW	230V / 400 V	2 shelves + base / 1.3 m ²	3 Phase / 3N~	
HMD60	4 Level Multideck	600 x 800 x 1972 mm	16 AMP / 3 kW	230V / 50 Hz	3 shelves + base / 1 m ²	Single Phase / 1N~	
HMD100	Wide 4 Level Multideck	1000 x 800 x 1972 mm	16 AMP / 4.5 kW	230V / 400 V	3 shelves + base / 1.8 m ²	3 Phase / 3N~	

NOTE: Models & Power May Vary.



MODULAR TABLE TOP DISPLAY

Key Features

- Heated self-serve table top display with 2 levels
- Designed for packaged products
- Multi Temperature feature - each shelf can be set with own temperature between 40 to 70 °C
- Adjustable top shelf angle
- 2 heavy duty multi-section chrome plated rod shelves
- Patented hot blanket technology - extends product shelf life
- Fully transparent - maximises product viewing
- Compact design fits anywhere
- Plug & Play - doesn't require installation



MODULAR TABLE TOP DISPLAY

MODEL	 WxDxH		DISPLAY AREA	FOOTPRINT	VOLTAGE	1N~ / 3N~
MTT-60	600 x 610 x 670 mm	13 AMP / 1.3 KW	0.41 m ²	0.37 m ²	230V	Single Phase / 1N~
MTT-90	900 x 610 x 670 mm	13 AMP / 1.9 KW	0.66 m ²	0.55 m ²	230V	Single Phase / 1N~



CURVED GLASS HOT DELI COUNTER

Key Features

- Available in 3, 4 & 5 GN pan sizes
- Curved glass
- Efficient heat retention with product temperature maintained at 65 °C
- Appetising product presentation
- Long holding time: based on constant temperature and mild airflow
- Reflector-enhanced halogen lighting for attractive promotion
- Simple controls
- Humidity control
- Plug & Play - doesn't require installation



CURVED GLASS HOT DELI COUNTER

MODEL	 WxDxH		VOLTAGE	GN PANS	1N~ / 3N~
HDC3	1086 x 1058 x 960 mm	16 AMP / 4.6 KW	230V / 400 V	3x1/1 GN-pan plus 3x1/3	3 Phase / 3N~
HDC4	1419 x 1058 x 960 mm	16 AMP / 4.9 KW	230V / 400 V	4x1/1 GN-pan plus 4x1/3	3 Phase / 3N~
HDC5	1752 x 1058 x 960 mm	16 AMP / 5.1 KW	230V / 400 V	5x1/1 GN-pan plus 5x1/3	3 Phase / 3N~

NOTE: Models & Power May Vary.



4 WELL BAIN MARIE with 2-TIER SHELVES

Hot cupboard with bain marie comes with Two-Tier shelf that provides additional heat and attractive display lighting.

Key Features

- Fully 1/1 GN compatible hot cupboard
- 4 x 1/1 GN containers up to 150mm deep
- Temperature range adjustable 20 to 99°C
- Efficient heat retention and a cool to touch exterior
- 2 heavy duty multi-section chrome plated rod shelves
- Drain tap
- Fan assisted hot cupboard
- Stainless Steel finish



4 WELL BAIN MARIE						
MODEL	 WxDxH		POWER	TEMP RANGE	1N~ / 3N~	
BM4	1530 x 672 x 912 mm		21.5 AMP / 4.95 kW	20 - 99°C	Single Phase / 1N~	



2 DOOR BANQUET CART

Great choice for high demand catering sites, with large capacity to keep up to 96 dishes warm for corporate events and festivals.

Key Features

- Fully 1/1 GN compatible hot cupboard
- 4 x adjustable shelves
- Holds 96 plated meals
- Efficient heat retention
- Halo Heat technology
- No moisture pans, water or canned heat needed
- Adjustable electronic thermostat with digital display monitors
- Stainless Steel finish



2 DOOR BANQUET CART						
MODEL	 WxDxH		VOLTAGE	TEMP RANGE	1N~ / 3N~	
BC2	954 x 773 x 1714 mm		13 AMP / 1.5 kW	16 - 93°C	Single Phase / 1N~	

NOTE: Models & Power May Vary.

COMMERCIAL EXTRACTOR FAN

Key Features

- > Fan canopy with removable legs
- > 350mm plate fan
- > Exhaust ducting provided
- > Multiple fans can be mounted together
- > On casters for ease of transporting
- > Stainless Steel finish

Specially designed for use in high capacity temporary corporate event and festival kitchens.



COMMERCIAL EXTRACTOR FAN			
MODEL	 WxDxH		FAN
EXTRACT	2100 x 1100 x 500 mm	13 AMP	350 mm plate



NOTE: Models & Power May Vary.

MOBILE HANDWASH

Key Features

- No mains water required
- No installation required, fill, plug & go
- 85 hand washes - 10 litres per fill
- Internal waste collection - no need for drainage
- Water temperature limited to 42 °C
- Foot-activated, infrared-operated tap
- Built-in soap holder and towel dispenser
- Professional dishwasher / glasswasher





MOBILE HANDWASH						
MODEL	 WxDxH		VOLTAGE	TEMP	CAPACITY	1N~/3N~
HWE	450 x 543 x 1250 mm	13 AMP / 3 kW	230V / 50Hz	+42 °C	10 ltr	Single Phase / 1N~

DISHWASHER / GLASSWASHER

Key Features

- Professional dishwasher / glasswasher
- Detergent included
- NB: Plumbing + pipework *not included*



DISHWASHER / GLASSWASHER					
MODEL	 WxDxH		POWER	1N~/3N~	RUN TIME
UCDW	600 x 600 x 850 mm	16 AMP / 7.5 KW	Various Available	3 Phase / 3~N	6-9 mins
UCGW	460 x 550 x 780 mm	13 AM / 3.5 KW	Various Available	Single Phase / 1N~	4 mins



NOTE: Models & Power May Vary.

GLASS POLISHER

Key Features

- No installation required, plug & go
- Hot air fan motor to dry glasses
- Suitable for any type of glass and cup
- Natural fibre brush heads are flexible and absorbent
- Small tabletop footprint
- Hygienic and professional finish





GLASS POLISHER						
MODEL	 WxDxH		WEIGHT	1N~/3N~	CAPACITY	
SV1000	335 x 310 x 495 mm	13 AMP / 1.1 KW	16 KG	Single Phase / 1N~	240 - 360 / HR	
SV2000	590 x 320 x 490 mm	13 AMP / 2.14 KW	26 KG	Single Phase / 1N~	480 - 720 / HR	

CUTLERY POLISHER

Key Features

- Professional cutlery polisher
- Fast, automatic operation
- UV lamp sterilises cutlery and granulate
- Granulate included
- Cutlery basket included
- Table top or trolley with wheels stand options



CUTLERY POLISHER						
MODEL	 WxDxH		WEIGHT	1N~/3N~	CAPACITY	
SH3000	570 x 540/940 x 400 mm	13 AMP / 0.75 KW	48 KG	Single Phase / 1N~	3000 - 3500 / HR	
SH7000	620 x 650/1040 x 870 mm	13 AMP / 0.85 KW	82 KG	Single Phase / 1N~	7000 - 8000 / HR	


NOTE: Models & Power May Vary.

SINGLE SINK & DRAINER

Key Features

- > Large deep single bowl with drainer
- > High grade commercial stainless steel
- > Suitable for food prep or wash up
- > Stand & undershelf
- > Taps & waste kit included



SINGLE BOWL & DRAINER SINK				
MODEL	 WxDxH	BOWL WxDxH	WASTE & OVERFLOW	WEIGHT
SBRD	1200 x 700 x 850 mm	500 x 500 x 300 mm	48 mm x H240 (strainer type)	33 KG

DOUBLE SINK & DRAINER

Key Features

- > 304 high-grade stainless steel
- > Double bowl catering sink with drainer
- > 2 large bowls for food prep or washing up
- > Stand & undershelf
- > Taps & waste kit included



DOUBLE BOWL & DRAINER SINK			
MODEL	 WxDxH	BOWL WxDxH	WASTE & OVERFLOW
DBRD	1800 x 700 x 850 mm	(2) 500 x 500 x 300 mm	48 mm x H240 (strainer type)

NOTE: Models & Power May Vary.

POD COFFEE MACHINE

Key Features

- Mix different products: seamless look
- Elegant, ergonomic design - easy to use and clean
- Quality stainless steel construction
- High efficiency cast iron burners resistant to acid and alkali
- Single or double crown burner for optimal heat distribution and performance
- Controls designed to prevent water penetration beneath the control panel (IPX4 protection rating)
- Adjustable feet
- Automatic ignition
- Gas models natural gas standard, supplied with optional LPG jets
- Robust front panel made from 2mm thick stainless steel and incorporates a piezo ignition system



POD/CAPSULE COFFEE MACHINE

MODEL	 WxDxH		VOLTAGE	1N~ / 3N~	WATER TANK CAPACITY	USED CAPSULE CAPACITY
PODC-1	111 x 235 x 326 mm	13 AMP / 1260W	220-240V / 50 Hz	Single Phase / 1N~	0.7 ltr	10

BEAN-TO-CUP COFFEE MACHINE

Key Features

- Easy programmable beverages
- Built-in coffee beans & powder hoppers
- 80 - 100 cups per day output
- 6 litres water tank capacity
- Automatic cleaning
- 7" touchscreen
- 750g bean hopper capacity
- 7-14g brewing chamber
- 2L drip tray
- Fast setup
- Milk fridge (optional)
- Water Mains connection
- Note: Plumbing and pipework not included



AUTOMATIC BEAN-TO-CUP COFFEE MACHINE



MODEL	 WxDxH		VOLTAGE	1N~ / 3N~	WATER TANK CAPACITY
BTC-80	391 x 560 x 572 mm	13 AMP / 3100W	220-240V / 50-60 Hz	Single Phase / 1N~	6 ltr

SINGLE BOILER ESPRESSO MACHINE

Key Features

- Automatic single-boiler espresso machine
- 2 compact groups & USB
- Compact footprint
- Fixed water connection
- Steam wand
- Water wand
- Ergonomic handle on portafilter
- Easy cleaning manages the cleaning of the group heads
- Eco friendly
- Adjustable feet





ESPRESSO MACHINE							
MODEL	 WxDxH		VOLTAGE	1N~ / 3N~	WATER TANK CAPACITY	MAX CUP HEIGHT	
2GRC	611 x 539 x 520 mm	13 AMP / 1 KW	220-240V / 50-60 Hz	Single Phase / 1N~	5 ltr	80 mm	

BURCO WATER BOILER

Key Features

- Energy efficient water boiler
- Compact footprint
- Manual fill water boiler
- No plumbing required
- Highly durable stainless steel
- User-friendly dial temperature control
- Boil-dry safety cut-out with quick manual reset
- Concealed elements for easy cleaning
- 6 heat settings - perfect for specialist drinks
- Carrying handles for easy positioning



BURCO WATER BOILER							
MODEL	 WxDxH		VOLTAGE	TEMP RANGE	1N~ / 3N~	WATER TANK CAPACITY	
BWB-10	300 x 335 x 380 mm	13 AMP / 1 KW	230V / 50 Hz	0 °C to 97 °C	Single Phase / 1N~	10 ltr	

OUR CUSTOMISATION SERVICES: YOUR BRAND HERE?

Our equipment rental solutions are designed to give your chilled/frozen products the best possible platform at your event or exhibition.

To ensure your brand makes an even bigger impact on the show floor, however, we offer all our customers a full suite of customisation services – and the benefits that this delivers!

- Fully integrate your rental equipment into the design of your show floor stand/booth
- Enhance your brand's presence, making a lasting impression on potential customers
- Increase sales: products are FOUR TIMES more likely to sell from a branded setting



For food/drink producers planning an in-store retail promotion or marketing campaign, we'll work in partnership with you to roll-out branded refrigeration to wherever you need it.

We've successfully supplied promo fridge hire solutions to clients large and small; helping to boost brand exposure, increase impulse sales and maximise return on investment.

PROMOTIONAL REFRIGERATION RENTAL SERVICES

For more information about our promotional fridge rental solutions and how we can support your next marketing campaigns, contact our team today:

JENNIFER DOHERTY
IRL & UK Events & Promotional Sales Manager
(IRL) +353 (0)86 1035307 / (UK) +44 (0)7712 306957
jennifer.doherty@crossrentalservices.com



3KW HOT BLOCK ELECTRIC HEATER

Small but very powerful, this electric heater packs a punch! Distributes huge volumes of heat quickly and efficiently in any medium sized space.

Key Features

- Tough unit suitable for various commercial and industrial locations
- Industrial electric heater
- Compact footprint
- Powerful 3kW heater
- Handle for easy lifting



3KW HOT BLOCK 25 ELECTRIC HEATER

MODEL	 WxDxH	 AMP	VOLTAGE	HEATING OUTPUT	1N~ / 3N~	AIR VOLUME	MAX DUCTING
HB25	360 x 330 x 360 mm	13 / 16 AMP	220-240V / 50-60 Hz	3 KW	Single Phase / 1N~	423 m ³ /hr	2M

ELECTRIC SPACE HEATER RADIATOR

Easy to move, quiet, economical and efficient electrical heating.

Key Features

- Safe and comfortable warmth
- Oil-filled electric radiator
- 3 Heat settings
- User-friendly dial temperature control
- Ultra slim design
- Integrated thermostat & timer
- Wrap around cord and plug storage
- Castors for easy mobility



ELECTRIC SPACE HEATER RADIATOR

MODEL	 WxDxH	 AMP	VOLTAGE	1N~ / 3N~	HEATING OUTPUT
SLENDER	500 x 170 x 670 mm	13 AMP	220V / 50 Hz	Single Phase / 1N~	2.5 KW



INFRARED WARM GLOW HEATER

Portable infrared electric spot heater. Perfect for large areas that need local spot/zone heating.

Key Features

- > No air blowers or fumes
- > Heats up quickly
- > Nice warm glow
- > Compact footprint
- > Perfect for zone heating in larger spaces
- > Wheels and handles for easy moving



INFRARED WARM GLOW HEATER						
MODEL	 WxDxH		VOLTAGE	1N~ / 3N~	HEATING OUTPUT	
WARMGLOW	505 x 477 x 906 mm	13 AMP	220-240V / 50-60 Hz	Single Phase / 1N~	3 KW	



HOT BLOCK 95 ELECTRIC HEATER

Compact and powerful, pushing out a large volume of hot air quietly and efficiently.

Key Features

- > Suitable for various commercial and industrial locations
- > Tough industrial electric heater
- > Compact footprint
- > Powerful 9 - 18 kW heater
- > Can be ducted up to 10m
- > Castors and handles for easy moving



HOT BLOCK 95 ELECTRIC HEATER							
MODEL	 WxDxH		VOLTAGE	1N~ / 3N~	HEATING OUTPUT	AIR VOLUME	MAX DUCTING
HB95	570 x 400 x 520 mm	27.2 AMP	400 V / 50-60 Hz	Three Phase / 3N~	18 KW	2034m ³ /hr	10M



PAC 3500 E PORTABLE AIR CON

Easy to use and versatile, this 3-in-1 unit cools, ventilates and dehumidifies your indoor spaces.

Key Features

- Energy efficiency
- 3.5 kW cooling capacity
- Three operating modes: Air Con, Fan & Dehumidifier
- Cools quickly with three fan stages
- Timer function
- Practical LCD display
- Room temperature display
- Easy-to-clean membrane keypad
- Swing function for optimum air distribution
- Removable air filter against animal hair, fluff and dust
- Quiet operation
- Environmentally friendly refrigerant R290



PAC 3500 E PORTABLE AIR CONDITIONER								
MODEL	 WxDxH		VOLTAGE	1N~ / 3N~	OUTPUT	AIR VOLUME	MAX DUCTING	
PAC3500E	385 x 435 x 770 mm	13 / 16 AMP	230 V / 50-60 Hz	Single Phase / 1N~	3.5 KW	324m ³ /hr	1.5M	



SPLIT AIR CONDITIONER

Designed to cool medium sized spaces.

Key Features

- Go to choice for economical and user-friendly temporary mobile cooling
- Tough industrial electric heater
- Compact footprint
- Can be ducted up to 10m
- Castors and handles for easy moving



PT6500 S SPLIT AIR CONDITIONER								
MODEL	 WxDxH		VOLTAGE	1N~ / 3N~	OUTPUT	AIR VOLUME	COOLED AREA	MAX DUCTING
PT6500S	815 x 360 x 1200 mm	13/16 AMP	230 V / 50 Hz	Single Phase / 1N~	7.1 KW	1,150 - 1,500 m ³ /hr	130 m ²	10 M

EVAPORATIVE COOLER


Suitable for use in large residential or commercial spaces up to 87m². Can be used outdoors too. Ideal for patios, restaurants, marquees, warehouses, and large dining rooms.

Key Features

- > Weather-resistant for indoor or outdoor cooling
- > 4 Speed fan
- > 3 sided cooling for optimal cooling effect
- > Adjustable horizontal and vertical louvers to direct cooling
- > 60 L water tank or connect to water hose for continuous cooling
- > Low power use makes it efficient
- > Wheels and handles for ease of moving



MAX COOL 100 EVAPORATIVE COOLER

MODEL	 WxDxH		VOLTAGE	1N [~] / 3N [~]	AIR FLOW	COOLING CAPACITY
MAXCOOL100	700 x 466 x 1017 mm	13 AMP/0.22 KW	220-240V / 50-60 Hz	Single Phase/1N [~]	2,240 m ³ /hr	87 m ²

COOL SPACE EVAPORATIVE COOLER 300

Portable, evaporative cooler that is best suited to cooling smaller spaces with limited – or no – access to open windows.

Key Features

- > Durable build
- > Connect to water hose for continuous cooling
- > Plug and go
- > 3 blade fan for air circulation
- > Wheels and handles for ease of moving



COOL SPACE 300

MODEL	 WxDxH		VOLTAGE	1N [~] / 3N [~]	AIR VOLUME	COOLING CAPACITY
COOLSPACE300	654 x 610 x 1130 mm	13 AMP/3 KW	220-240V / 50-60 Hz	Single Phase/1N [~]	4,800 m ³ /hr	110 m ²



COOL SPACE EVAPORATIVE COOLER 400

With quiet operation, this is the perfect cooling solution for on stage, back stage or any large space where performers, kitchen staff or visitors need to stay cool.

Key Features

- Weather-resistant for indoor or outdoor cooling
- Suitable for spaces up to 320m²
- Quickly cools indoor and outdoor spaces up to 18°C
- 174L water tank provides up to 10 hours of hose-free operation
- Connect to water hose for continuous cooling
- Low power use makes it efficient
- Wheels and handles for ease of moving



COOL SPACE 400						
MODEL	 WxDxH		VOLTAGE	1N~ / 3N~	AIR VOLUME	COOLING CAPACITY
COOLSPACE400	1575 x 762 x 1778 mm	13 AMP	230V / 50-60 Hz	Single Phase/1N~	16,480 m ³ /hr	320 m ²



ROOM AIR CLEANER TAC V+

Powerful air cleaner for permanent air pollution control and virus filtering in high public traffic areas. Filters 99.997% of pathogenic viruses, dust and micro fibres from a room air reducing the risk of infection to a minimum.

Key Features

- 100% environmentally friendly
- No chemicals, no installation effort
- Fully automatic and low-maintenance operation
- High performance air purifier
- Effective air filtering with F7 pre-filter and H14-HEPA main filter
- Air pollution control, virus and fine dust filtering
- Plug & Play
- Low power use makes it efficient
- Wheels for ease of movement



ROOM AIR CLEANER TAC V+						
MODEL	 WxDxH		VOLTAGE	1N~ / 3N~	AIR FLOW	MAX ROOM CAPACITY
TACV+	620 x 580 x 1300 mm	13 / 16 AMP	220-240V / 50-60 Hz	Single Phase/1N~	2500 m ³ /hr	80 m ² / 200 m ³

AIRGOCLEAN CLEAN ONE AIR PURIFIER

The AirgoClean® One is a durable and user-friendly air purifier, constructed with effective 360° air routing and long filter lifetimes. Offers impressive clean air performance.

Key Features

- > Highly efficient HEPA H14 filter system with prefilter and odour filter
- > Certified for allergy sufferers
- > Quiet operation, effective results
- > 6 stages radial fan
- > Omnidirectional clean air distribution with 360° working radius
- > Optional elimination of unpleasant odour
- > Air quality indicator – numerical and as traffic light colour bar
- > Removes 99.995 % of all airborne pollutants down to a size of 0.1 micrometres



AIRGOCLEAN ONE AIR PURIFIER

MODEL	 WxDxH		VOLTAGE	1N~ / 3N~	AIR VOLUME	MAX ROOM CAPACITY
AIRGO1	435 x 400 x 835 mm	13 AMP/0.17 KW	220-240V / 50-60 Hz	Single Phase/1N~	35 - 600 m³/hr	78 m² / 195 m³

AIRGOCLEAN 250E AIR PURIFIER

Double 3-in-1 HEPA filter technology with ionisation removes bacteria, viruses, pollen, dust mite residue, mould fungus spores and other allergens from the air.

Key Features

- > Multi-stage room air filter system
- > Highly efficient HEPA filtration system
- > Fully automatic air purification in rooms sized up to 220 m³
- > 3 operating modes Automatic mode, turbo mode, night mode
- > Compact and easy to use
- > Child lock
- > 4 fan stages
- > Easy and quick filter change
- > Low energy consumption
- > Suitable for allergy sufferers



AIRGOCLEAN 250 E AIR PURIFIER

MODEL	 WxDxH		VOLTAGE	1N~ / 3N~	AIR VOLUME	MAX ROOM CAPACITY
AIRGO250E	360 x 360 x 710 mm	13 AMP/0.17 KW	220-240V / 50-60 Hz	Single Phase/1N~	384-740 m³/hr	38 m²/220 m³

SIDEKICK BARREL FAN

Portable fan perfect for both indoor and outdoor use, with an IPX5 rating for durability in any condition.

Key Features

- Powerful airflow from six airfoils, engineered for efficiency
- 2 fixed casters and 2 locking swivel casters make it easy to move
- Magnet motor keeps operating quiet
- Adjustable speed dial
- Suitable for indoor or outdoor use
- Impact-resistant, open frame
- Eco friendly
- Easy plug-n-play operations



SIDEKICK BARREL FAN								
MODEL	 WxDxH		VOLTAGE	1N~ / 3N~	POWER CONSUMPTION	AIR FLOW	AIRFLOW DISTANCE	
SIDEKICK	505 x 477 x 906 mm	13/16 AMP	220-240V / 50-60 Hz	Single Phase/1N~	533 WATTS	25,485 m ³ /hr	36 M	



INDUSTRIAL FLOOR FAN

Portable and stackable axial fan, multifunctional for support in drying, dust extraction, cooling, heating etc. Suitable for many applications.

Key Features

- High performance industrial axial fan
- Extremely robust for continuous operation
- Compact footprint
- Splash-proof (IP55)
- Compact and easy to use
- Stackable - can use multiple fans at once
- 3 stage axial fan
- Usable hose adapter for air transport and dust collection



INDUSTRIAL FLOOR FAN							
MODEL	 WxDxH		VOLTAGE	1N~ / 3N~	AIR FLOW	AIRFLOW DISTANCE	
TTV4500	515 x 358 x 520 mm	13 AMP/0.25 KW	220-240V / 50-60 Hz	Single Phase/1N~	4500 m ³ /hr	50 M	

NOTES

A large rectangular area with a dotted border, intended for writing notes. The area is empty and occupies most of the page below the 'NOTES' header.



PUTTING ON A SHOW

CASE STUDY

Gulfood is one of the world's largest food and hospitality sector events, with nearly 5,000 exhibitors from 120+ countries gathering each year at the Dubai World Trade Center.

Our events team brought state-of-the-art refrigeration and catering equipment solutions to companies from across the globe, to deliver stunning displays and capture the eye of potential trading partners.

Our client list for this flagship industry event continues to grow. Reflecting the confidence that our new, and existing customers have in Cross Rental Services.

They can fully trust our dedicated on-site customer service and engineering team to attend to their display needs, allowing them to focus on maximising their return from the show.

"The service we received from the Cross Rental Services team was wonderful from beginning to end. All of the equipment we hired was delivered straight to our stand and was there waiting for us. And knowing that an engineer was on-site if we needed was a huge bonus – we didn't have to worry about a single thing!"
MD, Exhibiting Meat Producer

Gulfood, Sirha, Alimentaria, SIAL, Seafood Expo Global, IFE, GastroNord, Sirha and more; our equipment rental solutions have achieved stunning results for exhibitors at leading food/drink industry events around the world.

Our incredible team is proud to have been selected as the official refrigeration supplier to some of the sector's most prestigious trade shows, exhibitions and events – making us the stand-out choice for your requirements.

But you don't just have to take our word for it...

WHAT OUR CUSTOMERS ARE SAYING:

"The customer service was great, [Cross Rental Services - Refrigeration & Catering] have a good variety of fridges and I got what I requested and what was described on the internet.

"They delivered on time, set up and collected in a professional manner. I would suggest them to whoever is interested and I would also use them in the future."

"We have used different refrigeration companies... and have found that Cross Rental Services have been the most reliable and the highest in trustworthiness.

"Service is the key and Cross Rental Services has met and far exceeds our expectations in providing the professional services that we must have for our facility."

"Cross Rental Services simply takes all the hassle out of large events by transporting and setting up our refrigeration so we're ready to start selling when we arrive.

"The added benefit of an on-site technical expert is a great bonus and leaves us with the peace of mind that should anything go wrong someone is on hand to help."

"We are always very satisfied with the quality of equipment supplied at our events by Cross Rental Services. We have approx. 5 shows a year and always use their services.

We are currently running some new in store promotions and they have assisted us in this roll out, branding each cabinet and liaising with stores to arrange delivery"

"Great quality product sells itself. It is so important to use the opportunity of a trade show to present ones product in its best possible light.

"We have found Cross Rental Services to be an excellent one stop shop for all of our trade show needs – extensive choice available, customer service and pricing."

"I have to say I was very impressed with the staff's attention at the recent event Gulfood.

It was great they came and introduced themselves to me and reassured me that if anything happened while we were at the show they would fix it".

EVENTS WE CATER FOR:



**NORTHERN
RESTAURANT
AND BAR**



JENNIFER DOHERTY

IRL & UK Events & Promotional Sales Manager

(IRL) +353 (0)86 1035307 / (UK) +44 (0)7712 306957

jennifer.doherty@crossrentalservices.com

IRELAND OFFICE

11 Broomhill Road

Tallaght, Dublin 24 D24 PF20

1800 846 846 | +353 (0)1427 1010

events@crossrentalservices.com

crossrentalserives.com

UK OFFICE

Unit 3, Bishops Court

Winmick Quay, Warrington, WA2 BQY

0800 464 0369 | +44 (0) 1925 658315

events@crossrentalservices.com

crossrentalserives.com